

ISSUE DATE: 6/15/2019

1. PRODUCT AND COMPANY IDENTIFICATION**GHS PRODUCT IDENTIFIER:**

TRADE NAME; STAINLESS STEEL CLEANER AND POLISH

OTHER MEANS OF IDENTIFICATION:**RECOMMENDED USE OF THE CHEMICAL AND RESTRICTIONS ON USE:**

RECOMMENDED USE: CLEANING AND POLISHING OF STAINLESS STEEL

SUPPLIER'S DETAILS:

BIOESQUE SOLUTIONS
150 EAST PALMETTO PARK ROAD
SUITE 110
BOCA RATON, FLORIDA 33432
(800) 921-4634 www.bioesquesolutions.com

24 Hour Emergency telephone number : INFOTRAC (800)535-5053**2. HAZARD IDENTIFICATION****GHS CLASSIFICATION:**

GHS CLASSIFICATION SCALE: (1=SEVERE HAZARD, 4=SLIGHT HAZARD)

Not Classified as hazardous

LABEL ELEMENTS:**SIGNAL WORD:** Not Classified**HAZARD STATEMENTS:**

Not Classified as hazardous

HAZARD SYMBOLS:

None required by GHS

PRECAUTIONARY STATEMENTS:

No special directive listed in GHS

PRECAUTIONARY STATEMENTS (RESPONSE):

No special directive listed in GHS

PRECAUTIONARY STATEMENTS (STORAGE):

No special precautions listed in GHS

PRECAUTIONARY STATEMENTS (DISPOSAL):

No special directive in GHS

OTHER HAZARDS: Avoid breathing of mists.

3. COMPOSITION INFORMATION ON INGREDIENTS

INGREDIENT IDENTITY	CAS NUMBER	PERCENTAGE
Mineral Oil	8042-47-5	10-20

REMAINING INGREDIENTS ARE NOT REPORTABLE UNDER OSHA/SDS GUIDELINES. THE EXACT PERCENTAGES OF SOME INGREDIENTS HAVE BEEN WITHHELD AS (CBI) CONFIDENTIAL BUSINESS INFORMATION TRADE SECRET.

4. FIRST AID MEASURES

INGESTION: If swallowed, rinse mouth, then drink copious amounts of water to dilute. Do not induce vomiting unless told to do so by doctor or physician. Seek medical advice/attention. If spontaneous vomiting occurs, keep head below hips to prevent aspiration of liquid into the lung. Never give anything by mouth to an unconscious person.

SKIN CONTACT: Wash area with water. Wash contaminated clothing before reuse. If irritation occurs get medical advice.

INHALATION: Not normally required. If inhalation hazards are experienced, move individual away from exposure and into fresh air. If breathing is irregular or stopped, administer artificial respiration. In case of shortness of breath, give oxygen. Call a physician if you feel unwell.

Note to physician: Acute aspirations of large amounts of oil laden material may produce a serious aspiration pneumonia. Patients who aspirate these oils should be followed for the development of long term sequelae. Inhalation exposure to oil mists below listed exposure levels in section 8 below is unlikely to cause pulmonary abnormalities. (Product is a water soluble emulsion)

EYE CONTACT: Rinse cautiously with water for several minutes. Remove contact lenses if easy to do. Continue rinsing. If irritation persists get medical attention/advice.

Most Important Symptoms and Effects, Acute and Delayed

INGESTION: Symptoms may include diarrhea, gastric pain, and vomiting.

SKIN CONTACT: Not expected; however, symptoms may include redness and skin irritation.

INHALATION: Symptoms may include irritation of respiratory tract. Avoid breathing mists

EYE CONTACT: Symptoms may include stinging, tearing, redness and blurred vision.

Indication of immediate medical attention and special treatment needed, if necessary.

Treat Symptomatically

5. FIRE FIGHTING MEASURES

Suitable extinguishing media: Use methods suitable for surrounding fire

Unsuitable extinguishing media- None determined

Specific hazards arising from the chemical: This material may burn but will not ignite readily. Product will not sustain combustion.

Hazardous thermal decomposition products: carbon monoxide and CO₂

Special protective actions for fire-fighters: Keep product containers and surrounding areas cool with water spray. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters: Fire fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Spilled material will be slippery. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of information in section 8 for further information. See also information in non-emergency personnel above.

Environmental precautions: Avoid dispersal of spilled material with waterways, drains and sewers. See section 12 for additional ecological information.

Methods and materials for containment and cleaning up.

Small spill: Stop leak if without risk. Move containers from the spill area. Absorb with an inert dry material such as diatomaceous earth or vermiculite and place in an appropriate waste disposal container. Mop any remaining residues with soap and water and dispose of wastes via a licensed waste disposal contractor according to federal, state and local regulations.

Large spill: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, drains, water courses and confined areas. Wash spillages into an effluent treatment plant or absorb with an inert dry material such as diatomaceous earth or vermiculite and place in a appropriate waste disposal containers. Mop any remaining residues with soap and water and dispose of wastes via a licensed waste disposal contractor according to federal, state and local regulations.

7. HANDLING AND STORAGE

Precautions for Safe Handling:

Safe Handling Advice: Utilize appropriate personal protective equipment when handling product. Do not swallow. Avoid contact with eyes, skin and clothing. As with all chemicals, avoid breathing vapor or mists. Do not enter storage areas and confined spaces unless adequately ventilated. Keep tightly closed when not in use. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection and face protection during use.

Advice on general occupational hygiene: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also section 8 for additional hygiene information.

Conditions for safe storage including any incompatibilities:

Store in a dry, well ventilated area away from strong oxidizing agents (see section 10) and food and drink. Keep container tightly closed when not in use. Do not store in unlabeled containers. Keep away from children.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Control Parameters

Occupational Exposure Limits

<u>Ingredient Identity</u>	<u>ACGIH TLV</u>	<u>OSHA PEL</u>	<u>NIOSH IDLH</u>
Mineral oil	5mg/m ³ TWA inhalable fraction 10mg/m ³ STEL mist	5mg/m ³ mist	
Propylene Glycol	10mg/m ³ aerosol weel		

Appropriate Engineering Controls

Engineering Controls: Use with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants and maintain air concentrations below occupational exposure standards.

Individual protection measures, such as personal protective equipment. (PPE)

Eye/Face Protection: Wear appropriate safety goggles with side shields

Skin & Body Protection: Wear chemical resistant, impervious gloves at all times when handling chemical products. Check during use that gloves are still retaining their impervious properties, as the time for breakthrough can change from different manufacturers and chemical mixtures cannot always be accurately measured. Appropriate footwear and suitable protective clothing should be worn for the degree and risk of exposure.

Respiratory Protection: If workplace exposure limits of product or any component is exceeded, utilize proper respiratory protection program guidelines (see OSHA 1910.134 and American National Standard ANSI Z88.2) Use a properly fitted, NIOSH/MSHA air-purifying or air-fed respirator in compliance with the above mentioned standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: white liquid

Odor: lemon fresh

Odor threshold: not available

pH: neutral range (6-7.5)

Melting Point/Freezing Point: Not Determined

Initial Boiling Point/Range: Not Determined

Flash Pt: >300F, mineral oil within product may burn but does not sustain combustion.

Evaporation Rate: Not Determined (butyl acetate=1)

Lower explosive limits: Not Applicable

Upper explosive limits: Not Applicable

Vapor Pressure: Not Determined

Vapor Density: Not Determined (air=1)

Relative Density: 1.01

Solubility in water: Soluble emulsion

Partition coefficient: not applicable

Auto ignition temp: not applicable

Decomposition Temp: not available

Viscosity: pourable

10. STABILITY AND REACTIVITY

Reactivity: Stable in normal ambient temperature and pressure

Chemical Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: not under normal conditions of storage and use

Conditions to Avoid: Do not freeze. Do not expose to ignition sources or oxidizing materials. No smoking

Incompatible Materials: Oxidizing materials

Hazardous Decomposition Products: Carbon monoxide and Carbon Dioxide

11. TOXICOLOGICAL INFORMATION

Acute toxicity: Not classified,

Skin corrosion irritation: Not classified

Serious Eye damage: Not classified

Sensitization: Not classified

Mutagenicity: Not classified

Carcinogenicity: Not classified

Reproductive Toxicity: Not Classified

Teratogenicity: Not Classified

Specific target Organ Toxicity (single exposure):
Not classified

Specific target Organ Toxicity (repeated exposure)
Not Classified

Aspiration Hazard: Not classified

Information on the likely routes of exposure:

Ingestion: May be harmful if swallowed

Inhalation: Avoid breathing mists or sprays.

Skin: Not expected; mild irritation could be experienced with prolonged contact

Eye: Could cause eye irritation and discomfort

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion: See section iv, most important symptoms and effects, acute and delayed.

Inhalation: See section iv, most important symptoms and effects, acute and delayed.

Skin: See section iv, most important symptoms and effects, acute and delayed.

Eye: See section iv, most important symptoms and effects, acute and delayed.

Delayed and immediate effects and also chronic effects from short and long term exposure.

General: Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis

Carcinogenicity: no known significant effects or critical hazards. Not classifiable.

Numerical measures of Toxicity

Not Available

SAFETY DATA SHEET **TRADE NAME: STAINLESS STEEL CLEANER/POLISH**

PAGE 7 OF 8

12. ECOLOGICAL INFORMATION

Toxicity:

<u>Ingredient name</u>	<u>Result</u>	<u>Species</u>	<u>Exposure</u>
-------------------------------	----------------------	-----------------------	------------------------

No further information

Persistence and degradability:

Product expected to be readily biodegradable.

Bioaccumulation Potential:

No data.

Mobility in Soil:

No data.

Other adverse Effects:

No further information.

13. DISPOSAL CONSIDERATIONS

Dispose in accordance with applicable federal, state and local regulations.

14. TRANSPORTATION INFORMATION

DOT: NOT REGULATED
IATA: NOT REGULATED
IMDG: NOT REGULATED

15. REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS: All ingredients are listed or exempted with TSCA.

SARA 302/304: No products were found.
SARA 311/312: No products were found
SARA 313: No products found

STATE REGULATIONS:

Ingredient	New York	New Jersey	Massachusetts	Pennsylvania
Propylene Glycol USP		yes		yes

California Prop 65: none known to meet requirements.

SAFETY DATA SHEET **TRADE NAME: STAINLESS STEEL CLEANER/POLISH**

16. OTHER INFORMATION

HMIS RATING: HEALTH (1) FIRE (0) REACTIVITY (0)

4=EXTREME, 3=HIGH, 2=MODERATE, 1=SLIGHT, 0=INSIGNIFICANT

NOTICE TO READER:

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. The information on this sds was obtained from sources which we believe are reliable. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Users are advised to confirm in advance of need, that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the sds. /furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.